

TD-152

Compact Steel Bench Tape Dispenser

USER GUIDE



A compact freestanding dispenser for keeping compatible tape rolls organised and ready for everyday cutting tasks.

Quick specifications

Overall size	152 x 35 x 78 mm
Approx. weight	450 g
Body	Powder-coated steel
Roller	Galvanised steel
Cutting blade	Serrated stainless steel
Mounting	Freestanding; no mounting holes

Tape is not included

Confirm that the selected roll fits freely within the dispenser frame before use.

Setup and operation

Before first use

- Inspect the steel body, roller and blade for damage or looseness.
- Place the dispenser on a clean, dry and stable work surface.
- Keep the cutting edge facing away from walkways and bench edges.
- Use only tape rolls that fit without forcing or binding.

Loading tape

1. Place a compatible tape roll into the rear cradle.
2. Pull the free end forward over the galvanised roller.
3. Extend a short length of tape beyond the serrated blade.
4. Pull gently to confirm that the roll turns freely.



Dispensing and cutting

- Stabilise the dispenser with one hand on the steel body, clear of the blade.
- Pull the tape forward smoothly without twisting the roll.
- Draw the tape down across the serrated edge to cut it.
- Leave a short free end ready for the next use.

If the tape does not feed

- Check that the roll is not too wide or too large for the frame.
- Reverse the roll if the adhesive side contacts the roller.
- Remove wrinkled tape and reload it squarely through the centre.



Sharp cutting edge

Keep fingers clear of the serrated blade. Do not run a finger along the edge or leave the dispenser within reach of children.

Care and troubleshooting

Cleaning

- Remove the tape roll before cleaning.
- Wipe the painted body with a soft damp cloth and mild detergent.
- Remove adhesive residue from the roller and blade carefully.
- Dry all steel parts thoroughly before reloading tape.

Storage and inspection

- Store indoors in a dry area away from moisture and chemicals.
- Keep the dispenser clear of bench edges and busy walkways.
- Inspect the blade, roller and fasteners regularly.
- Do not bend, sharpen, drill or modify the dispenser.



Troubleshooting

Issue	Check and action
Roll does not turn	Remove the roll and confirm its width and diameter fit the frame freely.
Tape tracks sideways	Reload the roll centrally and pull the tape straight toward the blade.
Tape sticks to roller	Reverse the roll so the non-adhesive face contacts the roller.
Cut is uneven	Pull the tape squarely across the full blade width. Do not touch the teeth.
Body or blade is loose	Stop using the dispenser and contact Customer Support.

Remove damaged equipment from service
Do not use the TD-152 if the body, roller, blade or fasteners are cracked, loose, distorted or heavily corroded.

Warranty and support

Coverage

The TD-152 includes a 5-year automatic structural warranty. Register within 30 days of purchase to extend eligible structural coverage to 10 years.

The warranty applies to

- Eligible defects in materials or workmanship under normal intended use
- The original purchaser with proof of purchase
- Structural failure or components separating from the main structure

The warranty does not cover

- Impact, misuse, neglect, unsuitable tape or unauthorised modification
- Normal wear, blade wear, adhesive build-up or cosmetic finish damage
- Corrosion caused by improper storage, liquids or chemical exposure

Making a claim

Stop using the product and contact Customer Support with proof of purchase, the model number and clear photographs of the issue.

Customer Support

Website	strongertool.com.au
Email	au-cs@strongertool.com
Phone	+61 492 969 739
Address	STRONGERTOOL 1 Suakin St, Pymble, NSW 2073

Document information

Document	TD-152-AU-UG
Revision	1.0
Issue date	October 2026

Australian Consumer Law

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if they fail to be of acceptable quality and the failure does not amount to a major failure.